

直交座標系(x, y, z)から極座標系(ρ, θ, ψ)への変換


直交座標系での支配方程式は以下である。

$$K_x \frac{\partial^2 s}{\partial x^2} + K_y \frac{\partial^2 s}{\partial y^2} + K_z \frac{\partial^2 s}{\partial z^2} = Ss \frac{\partial s}{\partial t} \tag{1}$$

ここで、曲座標系での標記を以下と定義する。

$$(x, y, z) = (\rho \sin \phi \cos \theta, \rho \sin \phi \sin \theta, \rho \cos \phi), \quad \rho^2 = x^2 + y^2 + z^2$$

$$\rho = \sqrt{x^2 + y^2 + z^2}, \quad \phi = \cos^{-1} \left(\frac{z}{\rho} \right), \quad \theta = \cos^{-1} \left(\frac{x}{\sqrt{x^2 + y^2}} \right) \tag{2}$$



透水係数は等方性とし、 $K=K_x=K_y=K_z$

結果として、以下の式となる。

$$\frac{\partial^2 s}{\partial \rho^2} + \frac{2}{\rho} \frac{\partial s}{\partial \rho} + \frac{1}{\rho^2} \frac{\partial^2 s}{\partial \phi^2} + \frac{\cot \phi}{\rho^2} \frac{\partial s}{\partial \phi} + \frac{1}{\rho^2 \sin^2 \phi} \frac{\partial^2 s}{\partial \theta^2} = \frac{Ss}{K} \frac{\partial s}{\partial t} \tag{3}$$

以下に、この結果に至る誘導を試みる。

曲座標系成分を直交座標系成分で微分したものは以下となる。

$$\frac{\partial \rho}{\partial x} = \sin \phi \cos \theta, \quad \frac{\partial \rho}{\partial y} = \sin \phi \sin \theta, \quad \frac{\partial \rho}{\partial z} = \cos \phi$$

$$\frac{\partial \phi}{\partial x} = \frac{1}{\rho} \cos \phi \cos \theta, \quad \frac{\partial \phi}{\partial y} = \frac{1}{\rho} \cos \phi \sin \theta, \quad \frac{\partial \phi}{\partial z} = \frac{-1}{\rho} \sin \phi$$

$$\frac{\partial \theta}{\partial x} = \frac{-1}{\rho} \frac{\sin \theta}{\sin \phi}, \quad \frac{\partial \theta}{\partial y} = \frac{1}{\rho} \frac{\cos \theta}{\sin \phi}, \quad \frac{\partial \theta}{\partial z} = 0 \tag{4}$$

また、x についての微分は以下のように定義される。

$$\frac{\partial}{\partial x} = \frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} + \frac{\partial \phi}{\partial x} \frac{\partial}{\partial \phi} \tag{5}$$

よって、これより以下を誘導する。

$$\frac{\partial^2}{\partial x^2} = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} + \frac{\partial \phi}{\partial x} \frac{\partial}{\partial \phi} \right)$$

$$= \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} + \frac{\partial \phi}{\partial x} \frac{\partial}{\partial \phi} \right) \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} + \frac{\partial \phi}{\partial x} \frac{\partial}{\partial \phi} \right) \tag{6}$$

この式を展開して、以下の3パートに分割して整理する。

$$\begin{aligned} \textcircled{1} : \frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} + \frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \right) &= \frac{\partial \rho}{\partial x} \left[\frac{\partial}{\partial \rho} \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} \right) + \frac{\partial}{\partial \rho} \left(\frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} \right) + \frac{\partial}{\partial \rho} \left(\frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \right) \right] \\ &= \frac{\partial \rho}{\partial x} \left[\frac{\partial}{\partial \rho} \left(\frac{\partial \rho}{\partial x} \right) \frac{\partial}{\partial \rho} + \frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} \left(\frac{\partial}{\partial \rho} \right) + \frac{\partial}{\partial \rho} \left(\frac{\partial \theta}{\partial x} \right) \frac{\partial}{\partial \theta} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \rho} \left(\frac{\partial}{\partial \theta} \right) + \frac{\partial}{\partial \rho} \left(\frac{\partial \varphi}{\partial x} \right) \frac{\partial}{\partial \varphi} + \frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \rho} \left(\frac{\partial}{\partial \varphi} \right) \right] \end{aligned} \quad (7)$$

$$\begin{aligned} \textcircled{2} : \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} + \frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \right) &= \frac{\partial \theta}{\partial x} \left[\frac{\partial}{\partial \theta} \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} \right) + \frac{\partial}{\partial \theta} \left(\frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} \right) + \frac{\partial}{\partial \theta} \left(\frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \right) \right] \\ &= \frac{\partial \theta}{\partial x} \left[\frac{\partial}{\partial \theta} \left(\frac{\partial \rho}{\partial x} \right) \frac{\partial}{\partial \rho} + \frac{\partial \rho}{\partial x} \frac{\partial}{\partial \theta} \left(\frac{\partial}{\partial \rho} \right) + \frac{\partial}{\partial \theta} \left(\frac{\partial \theta}{\partial x} \right) \frac{\partial}{\partial \theta} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} \left(\frac{\partial}{\partial \theta} \right) + \frac{\partial}{\partial \theta} \left(\frac{\partial \varphi}{\partial x} \right) \frac{\partial}{\partial \varphi} + \frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \theta} \left(\frac{\partial}{\partial \varphi} \right) \right] \end{aligned} \quad (8)$$

$$\begin{aligned} \textcircled{3} : \frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} + \frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \right) &= \frac{\partial \varphi}{\partial x} \left[\frac{\partial}{\partial \varphi} \left(\frac{\partial \rho}{\partial x} \frac{\partial}{\partial \rho} \right) + \frac{\partial}{\partial \varphi} \left(\frac{\partial \theta}{\partial x} \frac{\partial}{\partial \theta} \right) + \frac{\partial}{\partial \varphi} \left(\frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \right) \right] \\ &= \frac{\partial \varphi}{\partial x} \left[\frac{\partial}{\partial \varphi} \left(\frac{\partial \rho}{\partial x} \right) \frac{\partial}{\partial \rho} + \frac{\partial \rho}{\partial x} \frac{\partial}{\partial \varphi} \left(\frac{\partial}{\partial \rho} \right) + \frac{\partial}{\partial \varphi} \left(\frac{\partial \theta}{\partial x} \right) \frac{\partial}{\partial \theta} + \frac{\partial \theta}{\partial x} \frac{\partial}{\partial \varphi} \left(\frac{\partial}{\partial \theta} \right) + \frac{\partial}{\partial \varphi} \left(\frac{\partial \varphi}{\partial x} \right) \frac{\partial}{\partial \varphi} + \frac{\partial \varphi}{\partial x} \frac{\partial}{\partial \varphi} \left(\frac{\partial}{\partial \varphi} \right) \right] \end{aligned} \quad (9)$$

同様に、y, z 座標成分の微分($\partial^2/\partial y^2$, $\partial^2/\partial z^2$)を行い、上記とあわせ、曲座標系成分項による微分項毎に係数を集約する。

$$\frac{\partial}{\partial \rho} \left(\frac{\partial}{\partial \rho} \right) :$$

$$\begin{aligned} &\frac{\partial \rho}{\partial x} \left[\frac{\partial \rho}{\partial x} \right] + \frac{\partial \rho}{\partial y} \left[\frac{\partial \rho}{\partial y} \right] + \frac{\partial \rho}{\partial z} \left[\frac{\partial \rho}{\partial z} \right] \\ &= \sin^2 \varphi \cos^2 \theta + \sin^2 \varphi \sin^2 \theta + \cos^2 \varphi = \sin^2 \varphi (\cos^2 \theta + \sin^2 \theta) + \cos^2 \varphi \quad (10) \\ &= \sin^2 \varphi + \cos^2 \varphi = 1 \end{aligned}$$

$$\frac{\partial}{\partial \rho} :$$

$$\begin{aligned} &\frac{\partial \rho}{\partial x} \left[\frac{\partial}{\partial \rho} \left(\frac{\partial \rho}{\partial x} \right) \right] + \frac{\partial \theta}{\partial x} \left[\frac{\partial}{\partial \theta} \left(\frac{\partial \rho}{\partial x} \right) \right] + \frac{\partial \varphi}{\partial x} \left[\frac{\partial}{\partial \varphi} \left(\frac{\partial \rho}{\partial x} \right) \right] \\ &+ \frac{\partial \rho}{\partial y} \left[\frac{\partial}{\partial \rho} \left(\frac{\partial \rho}{\partial y} \right) \right] + \frac{\partial \theta}{\partial y} \left[\frac{\partial}{\partial \theta} \left(\frac{\partial \rho}{\partial y} \right) \right] + \frac{\partial \varphi}{\partial y} \left[\frac{\partial}{\partial \varphi} \left(\frac{\partial \rho}{\partial y} \right) \right] \\ &+ \frac{\partial \rho}{\partial z} \left[\frac{\partial}{\partial \rho} \left(\frac{\partial \rho}{\partial z} \right) \right] + \frac{\partial \theta}{\partial z} \left[\frac{\partial}{\partial \theta} \left(\frac{\partial \rho}{\partial z} \right) \right] + \frac{\partial \varphi}{\partial z} \left[\frac{\partial}{\partial \varphi} \left(\frac{\partial \rho}{\partial z} \right) \right] \\ &= \frac{\partial \rho}{\partial x} \left[\frac{\partial}{\partial \rho} (\sin \varphi \cos \theta) \right] + \frac{\partial \theta}{\partial x} \left[\frac{\partial}{\partial \theta} (\sin \varphi \cos \theta) \right] + \frac{\partial \varphi}{\partial x} \left[\frac{\partial}{\partial \varphi} (\sin \varphi \cos \theta) \right] \\ &+ \frac{\partial \rho}{\partial y} \left[\frac{\partial}{\partial \rho} (\sin \varphi \sin \theta) \right] + \frac{\partial \theta}{\partial y} \left[\frac{\partial}{\partial \theta} (\sin \varphi \sin \theta) \right] + \frac{\partial \varphi}{\partial y} \left[\frac{\partial}{\partial \varphi} (\sin \varphi \sin \theta) \right] \\ &+ \frac{\partial \rho}{\partial z} \left[\frac{\partial}{\partial \rho} (\cos \varphi) \right] + \frac{\partial \theta}{\partial z} \left[\frac{\partial}{\partial \theta} (\cos \varphi) \right] + \frac{\partial \varphi}{\partial z} \left[\frac{\partial}{\partial \varphi} (\cos \varphi) \right] \\ &= \frac{\partial \rho}{\partial x} [0] + \frac{-\sin \theta}{\rho \sin \varphi} [-\sin \varphi \sin \theta] + \frac{\cos \varphi \cos \theta}{\rho} [\cos \varphi \cos \theta] \\ &+ \frac{\partial \rho}{\partial y} [0] + \frac{\cos \theta}{\rho \sin \varphi} [\sin \varphi \cos \theta] + \frac{\cos \varphi \sin \theta}{\rho} [\cos \varphi \sin \theta] \\ &+ \frac{\partial \rho}{\partial z} [0] + \frac{d\theta}{dz} [0] + \frac{-\sin \varphi}{\rho} [-\sin \varphi] \end{aligned}$$

$$\begin{aligned}
 &= \frac{\sin^2 \theta}{\rho} + \frac{\cos^2 \varphi \cos^2 \theta}{\rho} + \frac{\cos^2 \theta}{\rho} + \frac{\cos^2 \varphi \sin^2 \theta}{\rho} + \frac{\sin^2 \varphi}{\rho} \\
 &= \frac{\cos^2 \theta + \sin^2 \theta}{\rho} + \frac{\cos^2 \varphi (\cos^2 \theta + \sin^2 \theta)}{\rho} + \frac{\sin^2 \varphi}{\rho} = \frac{\cos^2 \theta - \sin^2 \theta}{\rho} + \frac{\cos^2 \varphi}{\rho} + \frac{\sin^2 \varphi}{\rho} \\
 &= \frac{1}{\rho} + \frac{1}{\rho} = \frac{2}{\rho}
 \end{aligned} \tag{11}$$

$\frac{\partial}{\partial \theta}$:

$$\begin{aligned}
 &\frac{\partial \rho}{\partial x} \left[\frac{\partial}{\partial \rho} \left(\frac{d\theta}{dx} \right) \right] + \frac{d\theta}{dx} \left[\frac{\partial}{\partial \theta} \left(\frac{d\theta}{dx} \right) \right] + \frac{d\varphi}{dx} \left[\frac{\partial}{\partial \varphi} \left(\frac{d\theta}{dx} \right) \right] \\
 &+ \frac{\partial \rho}{\partial y} \left[\frac{\partial}{\partial \rho} \left(\frac{d\theta}{dy} \right) \right] + \frac{d\theta}{dy} \left[\frac{\partial}{\partial \theta} \left(\frac{d\theta}{dy} \right) \right] + \frac{d\varphi}{dy} \left[\frac{\partial}{\partial \varphi} \left(\frac{d\theta}{dy} \right) \right] \\
 &+ \frac{\partial \rho}{\partial z} \left[\frac{\partial}{\partial \rho} \left(\frac{d\theta}{dz} \right) \right] + \frac{d\theta}{dz} \left[\frac{\partial}{\partial \theta} \left(\frac{d\theta}{dz} \right) \right] + \frac{d\varphi}{dz} \left[\frac{\partial}{\partial \varphi} \left(\frac{d\theta}{dz} \right) \right] \\
 &= \sin \varphi \cos \theta \left[\frac{\partial}{\partial \rho} \left(\frac{-1 \sin \theta}{\rho \sin \varphi} \right) \right] + \frac{-1 \sin \theta}{\rho \sin \varphi} \left[\frac{\partial}{\partial \theta} \left(\frac{-1 \sin \theta}{\rho \sin \varphi} \right) \right] + \frac{1}{\rho} \cos \varphi \cos \theta \left[\frac{\partial}{\partial \varphi} \left(\frac{-1 \sin \theta}{\rho \sin \varphi} \right) \right] \\
 &+ \sin \varphi \sin \theta \left[\frac{\partial}{\partial \rho} \left(\frac{1 \cos \theta}{\rho \sin \varphi} \right) \right] + \frac{1 \cos \theta}{\rho \sin \varphi} \left[\frac{\partial}{\partial \theta} \left(\frac{1 \cos \theta}{\rho \sin \varphi} \right) \right] + \frac{1}{\rho} \cos \varphi \sin \theta \left[\frac{\partial}{\partial \varphi} \left(\frac{1 \cos \theta}{\rho \sin \varphi} \right) \right] \\
 &+ \cos \varphi \left[\frac{\partial}{\partial \rho} (0) \right] + 0 \left[\frac{\partial}{\partial \theta} (0) \right] + \frac{-1}{\rho} \sin \varphi \left[\frac{\partial}{\partial \varphi} (0) \right] \\
 &= \frac{\cos \theta \sin \theta}{\rho^2} + \frac{1}{\rho^2} \frac{\cos \theta \sin \theta}{\sin^2 \varphi} + \frac{1}{\rho^2} \frac{\cos^2 \varphi \cos \theta \sin \theta}{\sin^2 \varphi} \\
 &+ \frac{-1}{\rho^2} \cos \theta \sin \theta + \frac{-1}{\rho^2} \frac{\cos \theta \sin \theta}{\sin^2 \varphi} + \frac{-1}{\rho^2} \frac{\cos^2 \varphi \cos \theta \sin \theta}{\sin^2 \varphi} \\
 &= 0
 \end{aligned} \tag{12}$$

$\frac{\partial}{\partial \varphi}$:

$$\begin{aligned}
 &\frac{\partial \rho}{\partial x} \left[\frac{\partial}{\partial \rho} \left(\frac{d\varphi}{dx} \right) \right] + \frac{d\theta}{dx} \left[\frac{\partial}{\partial \theta} \left(\frac{d\varphi}{dx} \right) \right] + \frac{d\varphi}{dx} \left[\frac{\partial}{\partial \varphi} \left(\frac{d\varphi}{dx} \right) \right] \\
 &+ \frac{\partial \rho}{\partial y} \left[\frac{\partial}{\partial \rho} \left(\frac{d\varphi}{dy} \right) \right] + \frac{d\theta}{dy} \left[\frac{\partial}{\partial \theta} \left(\frac{d\varphi}{dy} \right) \right] + \frac{d\varphi}{dy} \left[\frac{\partial}{\partial \varphi} \left(\frac{d\varphi}{dy} \right) \right] \\
 &+ \frac{\partial \rho}{\partial z} \left[\frac{\partial}{\partial \rho} \left(\frac{d\varphi}{dz} \right) \right] + \frac{d\theta}{dz} \left[\frac{\partial}{\partial \theta} \left(\frac{d\varphi}{dz} \right) \right] + \frac{d\varphi}{dz} \left[\frac{\partial}{\partial \varphi} \left(\frac{d\varphi}{dz} \right) \right] \\
 &= \sin \varphi \cos \theta \left[\frac{\partial}{\partial \rho} \left(\frac{1}{\rho} \cos \varphi \cos \theta \right) \right] + \frac{-1 \sin \theta}{\rho \sin \varphi} \left[\frac{\partial}{\partial \theta} \left(\frac{1}{\rho} \cos \varphi \cos \theta \right) \right] + \frac{1}{\rho} \cos \varphi \cos \theta \left[\frac{\partial}{\partial \varphi} \left(\frac{1}{\rho} \cos \varphi \cos \theta \right) \right] \\
 &+ \sin \varphi \sin \theta \left[\frac{\partial}{\partial \rho} \left(\frac{1}{\rho} \cos \varphi \sin \theta \right) \right] + \frac{1 \cos \theta}{\rho \sin \varphi} \left[\frac{\partial}{\partial \theta} \left(\frac{1}{\rho} \cos \varphi \sin \theta \right) \right] + \frac{1}{\rho} \cos \varphi \sin \theta \left[\frac{\partial}{\partial \varphi} \left(\frac{1}{\rho} \cos \varphi \sin \theta \right) \right] \\
 &+ \cos \varphi \left[\frac{\partial}{\partial \rho} \left(\frac{-1}{\rho} \sin \varphi \right) \right] + 0 \cdot \left[\frac{\partial}{\partial \theta} \left(\frac{-1}{\rho} \sin \varphi \right) \right] + \frac{-1}{\rho} \sin \varphi \left[\frac{\partial}{\partial \varphi} \left(\frac{-1}{\rho} \sin \varphi \right) \right]
 \end{aligned}$$

$$\begin{aligned}
 &= \frac{-\sin \varphi \cos \varphi \cos^2 \theta}{\rho^2} + \frac{1}{\rho^2} \frac{\cos \varphi \sin^2 \theta}{\sin \varphi} + \frac{-1}{\rho^2} \cos \varphi \sin \varphi \cos^2 \theta \\
 &+ \frac{-1}{\rho^2} \cos \varphi \sin \varphi \sin^2 \theta + \frac{1}{\rho^2} \frac{\cos \varphi \cos^2 \theta}{\sin \varphi} + \frac{-1}{\rho^2} \cos \varphi \sin \varphi \sin^2 \theta \\
 &+ \frac{1}{\rho^2} \sin \varphi \cos \varphi + 0 + \frac{1}{\rho^2} \cos \varphi \sin \varphi \\
 &= \frac{-2 \sin \varphi \cos \varphi}{\rho^2} (\cos^2 \theta + \sin^2 \theta) + \frac{1}{\rho^2} \frac{\cos \varphi}{\sin \varphi} (\sin^2 \theta + \cos^2 \theta) \\
 &+ \frac{2}{\rho^2} \sin \varphi \cos \varphi = \frac{1}{\rho^2} \frac{\cos \varphi}{\sin \varphi} = \frac{1}{\rho^2} \cot \varphi
 \end{aligned} \tag{13}$$

$$\frac{\partial}{\partial \theta} \left(\frac{\partial}{\partial \theta} \right) :$$

$$\begin{aligned}
 &\frac{\partial \theta}{\partial x} \left[\frac{\partial \theta}{\partial x} \right] + \frac{\partial \theta}{\partial y} \left[\frac{\partial \theta}{\partial y} \right] + \frac{\partial \theta}{\partial z} \left[\frac{\partial \theta}{\partial z} \right] \\
 &= \frac{-1 \sin \theta}{\rho \sin \varphi} \left[\frac{-1 \sin \theta}{\rho \sin \varphi} \right] + \frac{1 \cos \theta}{\rho \sin \varphi} \left[\frac{1 \cos \theta}{\rho \sin \varphi} \right] + 0[0] \\
 &= \frac{1}{\rho^2} \frac{\sin^2 \theta}{\sin^2 \varphi} + \frac{1}{\rho^2} \frac{1}{\sin^2 \varphi} = \frac{1}{\rho^2} \frac{1}{\sin^2 \varphi} (\sin^2 \theta + \cos^2 \theta) = \frac{1}{\rho^2} \frac{1}{\sin^2 \varphi}
 \end{aligned}$$

$$\frac{\partial}{\partial \varphi} \left(\frac{\partial}{\partial \varphi} \right) :$$

$$\begin{aligned}
 &\frac{\partial \varphi}{\partial x} \left[\frac{\partial \varphi}{\partial x} \right] + \frac{\partial \varphi}{\partial y} \left[\frac{\partial \varphi}{\partial y} \right] + \frac{\partial \varphi}{\partial z} \left[\frac{\partial \varphi}{\partial z} \right] \\
 &= \frac{1}{\rho} \cos \varphi \cos \theta \left[\frac{1}{\rho} \cos \varphi \cos \theta \right] + \frac{1}{\rho} \cos \varphi \sin \theta \left[\frac{1}{\rho} \cos \varphi \sin \theta \right] + \frac{-1}{\rho} \sin \varphi \left[\frac{-1}{\rho} \sin \varphi \right] \\
 &= \frac{1}{\rho^2} \cos^2 \varphi \cos^2 \theta + \frac{1}{\rho^2} \cos^2 \varphi \sin^2 \theta + \frac{1}{\rho^2} \sin^2 \varphi = \frac{1}{\rho^2} \cos^2 \varphi (\cos^2 \theta + \sin^2 \theta) + \frac{1}{\rho^2} \sin^2 \varphi \\
 &= \frac{1}{\rho^2} \cos^2 \varphi + \frac{1}{\rho^2} \sin^2 \varphi = \frac{1}{\rho^2}
 \end{aligned}$$

$$\frac{\partial}{\partial \rho} \left(\frac{\partial}{\partial \theta} \right) :$$

$$\begin{aligned}
 &\frac{\partial \rho}{\partial x} \left[\frac{\partial \theta}{\partial x} \right] + \frac{\partial \rho}{\partial y} \left[\frac{\partial \theta}{\partial y} \right] + \frac{\partial \rho}{\partial z} \left[\frac{\partial \theta}{\partial z} \right] \\
 &= \sin \varphi \cos \theta \left[\frac{-1 \sin \theta}{\rho \sin \varphi} \right] + \sin \varphi \sin \theta \left[\frac{1 \cos \theta}{\rho \sin \varphi} \right] + \cos \varphi [0] \\
 &= \frac{-1}{\rho} \cos \theta \sin \theta + \frac{1}{\rho} \cos \theta \sin \theta + 0 = 0
 \end{aligned}$$

$$\frac{\partial}{\partial \rho} \left(\frac{\partial}{\partial \varphi} \right) :$$

$$\begin{aligned}
 & \frac{\partial \rho}{\partial x} \left[\frac{\partial \varphi}{\partial x} \right] + \frac{\partial \rho}{\partial y} \left[\frac{\partial \varphi}{\partial y} \right] + \frac{\partial \rho}{\partial z} \left[\frac{\partial \varphi}{\partial z} \right] \\
 &= \sin \varphi \cos \theta \left[\frac{1}{\rho} \cos \varphi \cos \theta \right] + \sin \varphi \sin \theta \left[\frac{1}{\rho} \cos \varphi \sin \theta \right] + \cos \varphi \left[\frac{-1}{\rho} \sin \varphi \right] \\
 &= \frac{1}{\rho} \cos \varphi \sin \varphi \cos^2 \theta + \frac{1}{\rho} \cos \varphi \sin \varphi \sin^2 \theta + \frac{-1}{\rho} \cos \varphi \sin \varphi \\
 &= \frac{1}{\rho} \cos \varphi \sin \varphi (\cos^2 \theta + \sin^2 \theta) + \frac{-1}{\rho} \cos \varphi \sin \varphi = \frac{1}{\rho} \cos \varphi \sin \varphi + \frac{-1}{\rho} \cos \varphi \sin \varphi = 0
 \end{aligned}$$

$$\frac{\partial}{\partial \theta} \left(\frac{\partial}{\partial \rho} \right) :$$

$$\begin{aligned}
 & \frac{\partial \theta}{\partial x} \left[\frac{\partial \rho}{\partial x} \right] + \frac{\partial \theta}{\partial y} \left[\frac{\partial \rho}{\partial y} \right] + \frac{\partial \theta}{\partial z} \left[\frac{\partial \rho}{\partial z} \right] \\
 &= \frac{-1 \sin \theta}{\rho \sin \varphi} [\sin \varphi \cos \theta] + \frac{1 \cos \theta}{\rho \sin \varphi} [\sin \varphi \sin \theta] + 0 \cdot [\cos \varphi] \\
 &= \frac{-1}{\rho} \cos \theta \sin \theta + \frac{1}{\rho} \cos \theta \sin \theta = 0
 \end{aligned}$$

$$\frac{\partial}{\partial \theta} \left(\frac{\partial}{\partial \varphi} \right) :$$

$$\begin{aligned}
 & \frac{\partial \theta}{\partial x} \left[\frac{\partial \varphi}{\partial x} \right] + \frac{\partial \theta}{\partial y} \left[\frac{\partial \varphi}{\partial y} \right] + \frac{\partial \theta}{\partial z} \left[\frac{\partial \varphi}{\partial z} \right] \\
 &= \frac{-1 \sin \theta}{\rho \sin \varphi} \left[\frac{1}{\rho} \cos \varphi \cos \theta \right] + \frac{1 \cos \theta}{\rho \sin \varphi} \left[\frac{1}{\rho} \cos \varphi \sin \theta \right] + 0 \cdot \left[\frac{-1}{\rho} \sin \varphi \right] \\
 &= \frac{-1 \cos \varphi \cos \theta \sin \theta}{\rho^2 \sin \varphi} + \frac{1 \cos \varphi \sin \theta \cos \theta}{\rho^2 \sin \varphi} = 0
 \end{aligned}$$

$$\frac{\partial}{\partial \varphi} \left(\frac{\partial}{\partial \rho} \right) :$$

$$\begin{aligned}
 & \frac{\partial \varphi}{\partial x} \left[\frac{\partial \rho}{\partial x} \right] + \frac{\partial \varphi}{\partial y} \left[\frac{\partial \rho}{\partial y} \right] + \frac{\partial \varphi}{\partial z} \left[\frac{\partial \rho}{\partial z} \right] \\
 &= \frac{1}{\rho} \cos \varphi \cos \theta [\sin \varphi \cos \theta] + \frac{1}{\rho} \cos \varphi \sin \theta [\sin \varphi \sin \theta] + \frac{-1}{\rho} \sin \varphi [\cos \varphi] \\
 &= \frac{1}{\rho} \sin \varphi \cos \varphi \cos^2 \theta + \frac{1}{\rho} \cos \varphi \sin \varphi \sin^2 \theta + \frac{-1}{\rho} \sin \varphi \cos \varphi \\
 &= \frac{1}{\rho} \sin \varphi \cos \varphi (\cos^2 \theta + \sin^2 \theta) + \frac{-1}{\rho} \sin \varphi \cos \varphi = \frac{1}{\rho} \sin \varphi \cos \varphi + \frac{-1}{\rho} \sin \varphi \cos \varphi = 0
 \end{aligned}$$

$$\frac{\partial}{\partial \varphi} \left(\frac{\partial}{\partial \theta} \right) :$$

$$\begin{aligned} & \frac{\partial \varphi}{\partial x} \left[\frac{\partial \theta}{\partial x} \right] + \frac{\partial \varphi}{\partial y} \left[\frac{\partial \theta}{\partial y} \right] + \frac{\partial \varphi}{\partial z} \left[\frac{\partial \theta}{\partial z} \right] \\ &= \frac{1}{\rho} \cos \varphi \cos \theta \left[\frac{-1 \sin \theta}{\rho \sin \varphi} \right] + \frac{1}{\rho} \cos \varphi \sin \theta \left[\frac{1 \cos \theta}{\rho \sin \varphi} \right] + \frac{-1}{\rho} \sin \varphi [0] \\ &= \frac{-1 \cos \varphi \sin \theta \cos \theta}{\rho^2 \sin \varphi} + \frac{1 \cos \varphi \sin \theta \cos \theta}{\rho^2 \sin \varphi} = 0 \end{aligned}$$

非ゼロ係数項のみ抽出し、整理すると以下となる。

$$\begin{aligned} S_s \frac{\partial s}{\partial \rho} &= K_x \frac{\partial^2 s}{\partial x^2} + K_y \frac{\partial^2 s}{\partial y^2} + K_z \frac{\partial^2 s}{\partial z^2} = K \frac{\partial^2 s}{\partial x^2} + K \frac{\partial^2 s}{\partial y^2} + K \frac{\partial^2 s}{\partial z^2} \\ &= K \left[\frac{\partial}{\partial \rho} \left(\frac{\partial}{\partial \rho} \right) + \frac{2}{\rho} \frac{\partial}{\partial \rho} + \frac{1}{\rho^2} \cot \varphi \frac{\partial}{\partial \varphi} + \frac{1}{\rho^2} \frac{1}{\sin^2 \varphi} \frac{\partial}{\partial \theta} \left(\frac{\partial}{\partial \theta} \right) \right] \end{aligned}$$

となり、極座標系における支配方程式が誘導できた。

【参考文献】

- 1) Kreyszig, E. : Advanced engineering mathematics, the seventh edition, John Wiley & Sons, Inc., pp.683-684, 1993.

追加誘導

以下の関係を誘導しておく。

$$\begin{aligned} \frac{\partial \rho}{\partial x} &= \sin \varphi \cos \theta, & \frac{\partial \rho}{\partial y} &= \sin \varphi \sin \theta, & \frac{\partial \rho}{\partial z} &= \cos \varphi \\ \frac{\partial \varphi}{\partial x} &= \frac{1}{\rho} \cos \varphi \cos \theta, & \frac{\partial \varphi}{\partial y} &= \frac{1}{\rho} \cos \varphi \sin \theta, & \frac{\partial \varphi}{\partial z} &= \frac{-1}{\rho} \sin \varphi \\ \frac{\partial \theta}{\partial x} &= \frac{-1 \sin \theta}{\rho \sin \varphi}, & \frac{\partial \theta}{\partial y} &= \frac{1 \cos \theta}{\rho \sin \varphi}, & \frac{\partial \theta}{\partial z} &= 0 \end{aligned} \quad (23)$$

得られた定義は以下である。

$$\begin{aligned} (x, y, z) &= (\rho \sin \varphi \cos \theta, \rho \sin \varphi \sin \theta, \rho \cos \varphi), & \rho^2 &= x^2 + y^2 + z^2 \\ \rho &= \sqrt{x^2 + y^2 + z^2}, & \varphi &= \cos^{-1} \left(\frac{z}{\rho} \right) = \cos^{-1} \left(\frac{z}{\sqrt{x^2 + y^2 + z^2}} \right), & \theta &= \cos^{-1} \left(\frac{x}{\sqrt{x^2 + y^2}} \right) \end{aligned} \quad (24)$$

ここで、原点 0 と任意の座標点 P, 点 P の x-y 平面投影点 Q を考え、

\vec{OP} と z 軸の成す角度を φ , \vec{OQ} と x 軸の成す角度を θ とする

$$\frac{d\rho}{dx} = \frac{d \left[(x^2 + y^2 + z^2)^{\frac{1}{2}} \right]}{d} = \frac{1}{2} \cdot 2x \cdot (x^2 + y^2 + z^2)^{-\frac{1}{2}} = \frac{\rho \sin \varphi \cos \theta}{\rho} = \sin \varphi \cos \theta \quad (25)$$

$$\frac{d\rho}{dy} = \frac{d \left[(x^2 + y^2 + z^2)^{\frac{1}{2}} \right]}{d} = \frac{1}{2} \cdot 2y \cdot (x^2 + y^2 + z^2)^{-\frac{1}{2}} = \frac{\rho \sin \varphi \sin \theta}{\rho} = \sin \varphi \sin \theta \quad (26)$$

$$\frac{d\rho}{dz} = \frac{d \left[(x^2 + y^2 + z^2)^{\frac{1}{2}} \right]}{d} = \frac{1}{2} \cdot 2z \cdot (x^2 + y^2 + z^2)^{-\frac{1}{2}} = \frac{\rho \cos \varphi}{\rho} = \cos \varphi \quad (27)$$

<これ以降の誘導は次バージョンで掲載予定>